



SOPPEC DRIVER LINE MARKING TROLLEY

.....

The SOPPEC DRIVER™ Line marking trolley is the fastest on the market: through its stability, simplicity, and unique design, it secures straight lines on smooth or textured grounds, indoor and outdoor. The SOPPEC DRIVER™ Line marking trolley really "drives" the user. It is exclusively used with the SOPPEC Line marking paint range and can be convertible into a tape applicator.

ART. NUMBER:
441600PURE



PRODUCT BENEFITS


.....

- The low-profile design and the central position of the drawbar provide a strong stability and minimize the user interferences during the application. It can be used either on smooth (concrete) or uneven surfaces (asphalt).
- The wheels with wide tread (32 mm) and long wheelbase secure straight running.
- The spray zone is sheltered and optimized so that the sprayed paint is not disrupted. A wind shield (optional) further increases protection in case of challenging weather conditions.
- The compact shape allows markings up to 60 mm of a frontal obstacle and 79 mm of a side obstacle.
- The marking width is adjustable continuously from 5 to 12 cm.
- The aerosol position is very intuitive thanks to the exclusive SOPPEC PureSPRAY™ nozzle holder.
- One spare aerosol shall be stored in its slot to allow 180 m autonomy on smooth surface for 75 mm wide line.

SPECIFICATIONS

.....

- Polyethylene body.
- Powder coated steel-based aerosol holder and drawbar.
- Durable for industrial or external usage.
- 4 Ø150 mm wheels with ball bearings and polyurethan treads.
- Stainless steel Ø 3 mm wire pivoting marking target.
- Weight: 4,8 kg. Box size: 800 x 300 x 300 mm.
- 3 years warranty. Manufactured in France.
- Dimensions:





The SOPPEC DRIVER™ can also be equipped with a floor marking tape applicator, ideal for completing the floor marking in your workshops or warehouses. Its stability and compact design make marking industrial floors quick and easy.

For the first time on the market, with the tape application module for the SOPPEC DRIVER™, the user is enjoying two quick and simple application modes with one single trolley.



CHARACTERISTICS OF THE TAPE APPLICATOR

- Can be used with 50, 75 or 100mm wide tapes.
- 3 mm steel construction, coated with epoxy powder paint.
- Sturdy construction for industrial use.
- Rubber base application roll for optimum and steady pressure throughout the whole roll width.
- Weight: 1,75 kg (without tape roll)
- 3 years warranty. Manufactured in France.

Adhesive marking tapes are available at Technima Nordic in 4 colors and fit the tape applicator:

YELLOW
451768



WHITE
451767



BLUE
451769



YELLOW AND BLACK
451770





Mark your difference

Technima Nordic

Krokslätts torg 5 SE-431 37 Mölndal

SWEDEN

T: +46 (031) 102 190

E: info@technimanordic.com

Technima Central

Kreuzerweg 77955 Ettenheim

GERMANY

T: +49(0) 7822 789 00 10

E: info@technimacentral.com

Technima Benelux

Hambakenwetering 22A

5231 DC 's- Hertogenbosch

NETHERLANDS

T: +31 736 314 345

E: info@technimabenelux.com

CIA Technima SUD EUROPA

SRL- Via Santa Brigida,

43- 10060 Roletto (TO)

ITALY

T: +39 0121 542 542

E: ciasudeuropa@technima.com

Technima France

Z.I. 16440 NERSAC

FRANCE

Tél. +33 (0)5 45 90 93 12

Fax. +33 (0)5 45 90 58 67

technimafrance@technima.com

www.technima.com