



Safety Data Sheet for MMC Cocaine / Crack Test

According to (EC) Nr. 1907/2006 (REACH)

First Print Date: 27-Nov-2020

Revision Date: 27-Nov-2020

Version: 1.20

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

Product identifier:

Identification as on the label/Trade name: MMC Cocaine / Crack Test

Product number: COC0110

Relevant identification uses of the substance and uses advised against:

Identified uses: Substance testing.

Uses advised against: No other uses are advised.

Details of the supplier of the Safety Data Sheet:

M.M.C. International B.V.

Frankenthalerstraat 16-18

4816 KA Breda, The Netherlands

Phone: +31-76-5711140, Fax: +31-76-5719300

Email: info@mmcinter.com

Website: www.narcotictests.com / narco-sens.eu

Emergency telephone numbers:

24-hour Emergency Contact: 112 / 911

National Poison Information Centre: +31-30-2748888

Section 2: Hazards Identification

Classification of the substances or mixture:

The mixture is classified according to: Regulation EC 1272/2008 [EU-GHS/CLP]

Hazard classes/Hazard categories:

Skin Sensitizer (Category 1)

Mutagenic (Category 2)

Aquatic Chronic (Category 2)

Reproductive Toxicity (Category 1B)

Hazard Statement:

H317

H341

H411

H360

Label elements:

Hazard pictograms:



Signal Words: Danger.

Hazard Statements:

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H411 Toxic to aquatic life with long lasting effects.

H360 May damage fertility.



Safety Data Sheet for MMC Cocaine / Crack Test

According to (EC) Nr. 1907/2006 (REACH)

First Print Date: 27-Nov-2020

Revision Date: 27-Nov-2020

Version: 1.20

Precautionary Statements:

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P302 + P352 IF ON SKIN: Wash with plenty of water.
- P308 + P313 IF exposed or concerned: Get medical advice/attention.
- P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
- P391 Collect spillage.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local regulations.

Section 3: Composition/Information on Ingredients

Substance/Mixture: Mixture.

Ingredients:

Substance name (IUPAC/EC)	CAS-No.	Concentration % by weight	SCLs, M-Factors, Acute Toxicity Estimates (ATE)	Classification EC1272/2008
	EC-No.			
cobalt di(acetate)	71-48-7	1-10%	Carc. 1B; H350i: C ≥ 0,01 % M=10	Skin Sens. 1 H317 Resp. Sens. 1 H334 Muta. 2 H341 Aqua Acute 1 H400 Aqua Chronic 1 H410 Carc. 1B H350i Repr. 1B H360F
	200-755-8			

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Section 4: First-Aid Measures

Description of first aid measures:

Eye Contact: Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a physician, preferably an ophthalmologist.

Skin Contact: Wash skin with plenty of water.

Inhalation: Move person to fresh air; if effects occur, consult a physician.

Ingestion: If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.

Most important symptoms and effects, both acute and delayed:

Not known.

Indication of any immediate medical attention and special treatment needed: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.



Section 5: Fire-Fighting Measures

Extinguisher media:

Extinguishing media: Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Do not use direct water stream. May spread fire. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.

Firefighting procedures: Keep people away. Isolate fire and deny unnecessary entry. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage.

Special protective equipment for firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

Unusual fire and explosion hazards: Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.

Hazardous combustion products: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Carbon monoxide, Carbon dioxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Keep unnecessary and unprotected personnel from entering the area. Use appropriate safety equipment.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.

Methods for containment and cleaning up:

Recover spilled material if possible. Contain spilled material if possible. Absorb with materials such as: Sand. Collect in suitable and properly labeled containers.

Section 7: Handling and Storage

Precautions for safe handling:

No special precautions required. Observe directions on label and instructions for use

Conditions for safe storage, including incompatibilities:

Store in a cool, dry place.

Section 8: Exposure Controls and Personal Protection

Control parameters:

Occupational exposure limits: No data available.

Exposure controls:

Appropriate engineering controls: Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines.



Safety Data Sheet for MMC Cocaine / Crack Test

According to (EC) Nr. 1907/2006 (REACH)

First Print Date: 27-Nov-2020

Revision Date: 27-Nov-2020

Version: 1.20

Individual protection measures, such as personal protective equipment:

Eye/Face Protection: Use safety glasses. Safety glasses should be consistent with EN 166 or equivalent.

Skin Protection: When prolonged or frequently repeated contact could occur, use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full-body suit will depend on the task.

Hand protection: Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Butyl rubber. Polyethylene. Neoprene. Natural rubber ("latex"). Polyvinyl chloride ("PVC" or "vinyl"). Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl alcohol ("PVA"). Ethyl vinyl alcohol laminate ("EVAL"). When prolonged or frequently repeated contact may occur, a glove with a protection class of 4 or higher (breakthrough time greater than 120 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 1 or higher (breakthrough time greater than 10 minutes according to EN 374) is recommended.

Respiratory Protection: Atmospheric levels should be maintained below the exposure guideline. For most conditions, no respiratory protection should be needed; however, if material is heated or sprayed, use an approved air-purifying respirator. Use the following CE approved air-purifying respirator: Organic vapor cartridge with a particulate pre-filter, type AP2.

Ingestion: Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

Section 9: Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance (form): Liquid.

Colour: Pink.

Odour: Odourless.

Odour threshold: No data available.

pH (concentration): No data available.

Melting point/range (°C): No data available.

Boiling point/range (°C): No data available.

Flash point (°C): No data available.

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Ignition temperature (°C): No data available.

Upper/lower flammability/explosive limits: No data available.

Vapour pressure: No data available.

Vapour density: No data available.

Relative density: No data available.

Water solubility (g/L): Soluble.

n-Octanol/Water partition coefficient: No data available.

Auto-ignition temperature: No data available.

Viscosity, dynamic (mPa.s): No data available.



Section 10: Stability and Reactivity

Reactivity: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability: Stable under recommended storage conditions.

Hazardous Polymerization: Will not occur.

Conditions to avoid: Exposure to elevated temperatures can cause product to decompose. Avoid moisture.

Materials to avoid: Avoid contact with: Strong oxidizers.

Hazardous decomposition products: Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Acrolein.

Section 11: Toxicological Information

Information on toxicological effects:

Acute toxicity: No data available.

Skin corrosion/irritation: May cause an allergic skin reaction.

Serious eye damage/irritation: No data available.

Respiratory or skin sensitization: No data available.

Germ cell mutagenicity: Suspected of causing genetic defects.

Carcinogenicity: No data available.

Reproductive toxicity: May damage fertility.

STOT-single exposure: No data available.

STOT-repeated exposure: No data available.

Aspiration hazard: No data available.

Section 12: Ecological Information

Toxicity: Toxic to aquatic life with long lasting effects.

Cobalt di(acetate), CAS 71-48-7

Short-term toxicity to fish:

EC10 / LC10 or NOEC for freshwater fish: 351.4 µg/L

EC10 / LC10 or NOEC for marine water fish: 31.802 mg/L

Long-term toxicity to fish:

EC50 / LC50 for freshwater invertebrates: 610 µg/L

EC50 / LC50 for marine invertebrates: 2.32 mg/L

Persistence and degradability: No data available.

Bioaccumulative potential: No data available.

Mobility in soil: No data available.

Results of PBT& vPvB assessment: No data available.

Section 13: Disposal Considerations

Waste treatment methods: Any disposal practice must be in compliance with all local and national laws and regulations. Do not dump into any sewers, on the ground, or into any body of water.

Product/packaging disposal: Dispose of as unused product.



Section 14: Transport Information

Land transport (ADR/RID)

UN number: 3082

Proper shipping name and description: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Class: 9

Packaging group: III

Labels: 9

Marine transport (IMDG)

UN number: 3082

Proper shipping name and description: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Class: 9

Packaging group: III

Labels: 9

Air transport ICAO/IATA

UN number: 3082

Proper shipping name and description: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Class: 9

Packaging group: III

Labels: 9

Section 15: Regulatory Information

EU regulations:

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Cobalt di(acetate), CAS 71-48-7

Authorisations:



Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use:

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use

Not regulated.

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Cobalt di(acetate), CAS 71-48-7

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding.

Cobalt di(acetate), CAS 71-48-7

Other EU regulations:

Directive 2012/18/EU on major accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Always applicable.

Directive 94/33/EC on the protection of young people at work

Cobalt di(acetate), CAS 71-48-7

Other regulations: The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations: Follow national regulation for work with chemical agents.

Chemical safety assessment: No Chemical Safety Assessment has been carried out.

Section 16: Other Information

Indication of changes: GHS aligned.

Relevant classification and H statements (number and full text):

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H350i May cause cancer by inhalation.

H360 May damage fertility.

Training instructions: Use as instructed.

Further information: This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Notice to readers: Employers should use this information only as a supplement to other information gathered by them and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees.

This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.