

NLG Adjustable Wristband

101365



The Adjustable Wristband pairs with a short coiled tool lanyard to make a popular and functional combination for small hand tools.

NLG's Adjustable Wristband creates a universal fit anchor point on the wrist. It is the wrist anchor point of choice in many industries due to its flexibility and ease of use. It is made from an elasticated webbing providing ergonomic all-day comfort with full adjustability allowing one size to fit all.

The Adjustable Wristband is designed to be used with a Short Coil Tool Lanyard making a very compact and functional tethering combination particularly suitable when having to use multiple tools that need frequent connecting and disconnecting.

The versatility of the wristband means that it can be used with any hand tool or small power tools up to 1.5kg if used on the wrist or tools up to 3kg if used as an anchor point on scaffolding etc.

Expert Tip: Based on medical research, NLG recommend that the maximum weight attached to the wrist is 1.5kg.

Specification

- High comfort durable elasticated webbing provides ergonomic all-day comfort
- Quickly adjusts to any wrist size with Velcro fastening
- Anchor Use - can be utilised as an anchor point on rail or scaffolding
- Tether Use - can be used to tether cylindrical objects such as spray cans
- Advanced components keep design non-conductive
- Unique serial number for easy identification and tracking
- CE marked
- Dynamic load tested and third party certified [2:1 safety factor]
- Dimensions: 38cm x 5cm
- Max Load: 3KG [6.6lbs]

MAX LOAD (SWL)

3KG / 6.6LBS

SERIAL NUMBERED

Makes the management of inspection routines and reports easy and traceable

PRODUCT DATA

Weight: 35 Grams
 EAN [GTIN-13]: 5060572180390
 HTS Code: 6307.90.9889



Third party
tested and
certified

See the
Test Certificate
on page 5





Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

**DROP TEST CERTIFICATE****IMAGE***After tests have been conducted***DATE**

October 2016

PRODUCT

Adjustable Wristband

REFERENCE

101365

MAX LOAD

3 KG

SAFETY FACTOR / TEST LOAD

2:1 / 6 KG

DYNAMIC DROP TEST RESULTS

	FACTOR 0	FACTOR 1	FACTOR 2
1	PASS	PASS	PASS
2	PASS	PASS	PASS
3	PASS	PASS	PASS

TECHNICIAN COMMENTS AND OBSERVATIONS

Stitching Intact.

No elongation of elasticated webbing.

D Ring - no signs of visual wear or stress.

SIGNATURE

Gary Paterson
Senior Lab Technician

United Kingdom Accreditation Service
ACCREDITATION CERTIFICATE



TESTING LABORATORY
No. 8856

Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

- Fully Equipped Laboratory for CE Type Approval Testing
- Product Trial testing for specific tests
- CE Technical File review and consultancy advice
- CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL, UK



NLG Adjustable Wristband

Product code: 101365

View online
neverletgo.com/wristband/

Get all the Product Briefs
neverletgo.com

Tool Tethering Experts
+44 [0]330 016 0030
neverletgo.com