



ALU-CTR OMNI-SHAPE CARABINER 9656

- Unique shape
- Breaking strength 20kN
- 3-way opening

Alu-CTR Omni-shape is a unique aluminum carabiner.

SEGMENTS

- ✓ Pitch roof work
- ✓ General industry
- ✓ MEWPs
- ✓ Confined space
- ✓ Scaffolding
- ✓ Telecom
- ✓ Wind energy

ARTICLES

012249952	Cresto, Alu-CTR Omni-shape
-----------	----------------------------

OVERVIEW

Alu-CTR Omni-shape is a carabiner in aluminum with a unique triangle shaped that makes it possible with load on 3 different points. The carabiner has a 3-way opening.

CRESTO GROUP

Lägatan 3
302 63 Halmstad
Sverige

T. +46 35 710 75 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

SPECIFICATION

PRODUCT PROPERTIES

Gate opening (mm)	19.0
Gate feature	2-way
Adjustable under load	No
Energy absorber	No
Fall indicator	No
Minimum breaking strength - MBS (kN)	20.0
Material	Aluminum

CLASSIFICATION

PPE-category	Category 3
EN-standard	EN 362 : 2004
Notified body	0321, SATRA Technology Centre, Wyndham Way, Telford Way, NN16 8SD Kettering, Northamptonshire, United Kingdom

ANNUAL INSPECTION

Annual inspection	Yes, every 12 months
Warranty	2 year
Identification	Serial number
RFID	No

DOCUMENTS

Declaration of Conformity	Yes
Manual languages	English , Swedish , Norwegian, Danish , Finnish, German, Estonian

CRESTO GROUP

Lägatan 3
302 63 Halmstad
Sverige

T. +46 35 710 75 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE

IMAGES



CRESTO GROUP

Lägatan 3
302 63 Halmstad
Sverige

T. +46 35 710 75 00
E. support@crestogroup.com
www.crestogroup.com

CRESTO GROUP
EXPECT MORE