



Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

Product identifier:

Identification as on the label/Trade name: MMC Heroin Test

Product number: HER0110

Relevant identification uses of the substance and uses advised against:

Identified uses: Substance testing.

Uses advised against: No other uses are advised.

Details of the supplier of the Safety Data Sheet:

M.M.C. International B.V.
Frankenthalerstraat 16-18
4816 KA Breda, The Netherlands
Phone: +31-76-5711140, Fax: +31-76-5719300
Email: info@mmcinter.com
Website: www.narcotictests.com / narco-sens.eu

Emergency telephone numbers:

24-hour Emergency Contact: 112 / 911
National Poison Information Centre: +31-30-2748888

Section 2: Hazards Identification

Classification of the substances or mixture:

The mixture is classified according to: Regulation EC 1272/2008 [EU-GHS/CLP]

Hazard classes/Hazard categories:

Skin Corrosive (Category 1A)
Aquatic Chronic (Category 3)

Hazard Statement:

H314
H412

Label elements:

Hazard pictograms:



Signal Words: Danger.

Hazard Statements:

H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements:

P260 Do not breathe dusts or mists.
P264 Wash hands thoroughly after handling.
P273 Avoid release to the environment.



P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P363 Wash contaminated clothing before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local regulations.

Section 3: Composition/Information on Ingredients

Substance/Mixture: Mixture.

Ingredients:

Substance name (IUPAC/EC)	CAS-No.	Concentration % by weight	SCLs, M-Factors, Acute Toxicity Estimates (ATE)	Classification EC1272/2008
	EC-No.			
Sulphuric acid	7664-93-9	90-99%	Eye Irrit. 2; H319: 5 % ≤ C < 15 % Skin Corr. 1A; H314: C ≥ 15 % Skin Irrit. 2; H315: 5 % ≤ C < 15 %	Skin Corr. 1A
	231-639-5			
Selenious acid	7783-00-8	1-10%	-	Acute Tox. 3 H301 Acute Tox. 3 H331 STOT RE 2 H373 Aqua Acute 1 H400 Aqua Chronic 1 H410
	231-974-7			

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Section 4: First-Aid Measures

Description of first aid measures:

Inhalation: Get medical attention immediately. Move exposed person to fresh air. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Ingestion: Wash out mouth with water. In the event of swallowing, induce patient to drink plenty of water. Get medical attention immediately.

Skin contact: Get medical attention immediately. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.



Eye contact: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.

Most important symptoms and effects, both acute and delayed:

Not known.

Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

Section 5: Fire-Fighting Measures

Extinguisher media:

Suitable extinguishing media: In case of fire, use water spray (fog), foam, dry chemical or CO₂

Unsuitable extinguishing media: None known.

Special exposure hazards: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion products: Decomposition products may include the following materials: sulphur oxides.

Special protective equipment for fire-fighters: Fire-fighters should wear appropriate protective equipment and Self-Contained Breathing Apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Put on appropriate personal protective equipment (see section 8).

Environmental precautions: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for containment and cleaning up:

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7: Handling and Storage

Precautions for safe handling:

Put on appropriate personal protective equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product residue and can be hazardous.

Conditions for safe storage, including incompatibilities:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Separate from alkalis. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully



resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8: Exposure Controls and Personal Protection

Control parameters:

Occupational exposure limits:

CAS No.	Ingredient	Value
7664-93-9	Sulphuric acid	LTEL: 0.05 mg/m ³

Exposure controls:

Appropriate engineering controls: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures, such as personal protective equipment:

Respiratory protection: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: Combination filter, e.g. DIN 3181 ABEK or Self-Contained Breathing Apparatus (SCBA)

Hand protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations <1 hour (breakthrough time): Fluorinated rubber - FKM

Eye protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended: Tightly-fitting goggles and face shield.

Skin protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: chemical-resistant protective suit.

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Environmental exposure controls: Technical measures: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 9: Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance (form): Liquid.

Colour: Colourless.

Odour: Acidic.

Odour threshold: No data available.

pH (concentration): <1



Melting point/range (°C): 10.5 °C
Boiling point/range (°C): 163 – 360 °C
Flash point (°C): No data available.
Evaporation rate: No data available.
Flammability (solid, gas): Non-flammable.
Ignition temperature (°C): No data available.
Upper/lower flammability/explosive limits: No data available.
Vapour pressure: 6 Pa @ 20 °C
Vapour density: No data available.
Relative density: 1.615 – 1.841
Water solubility (g/L): Fully miscible.
n-Octanol/Water partition coefficient: No data available.
Auto-ignition temperature: No data available.
Viscosity, dynamic: 22.5 mPa.s

Section 10: Stability and Reactivity

Reactivity: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability: The product is stable.
Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid: Highly reactive with water and alkalis.
Materials to avoid: Attacks many metals producing extremely flammable hydrogen gas which can form explosive mixtures with air. Reactive or incompatible with the following materials: alkalis.
Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11: Toxicological Information

Information on toxicological effects:

Acute toxicity: No data available.
Skin corrosion/irritation: Causes severe skin burns and eye damage.
Sulphuric acid, CAS 7664-93-9
On the skin: Causes poorly healing wounds. Strong caustic effect on skin and mucous membranes.
On the eye: Burns, risk of blindness. Strong caustic effect.
After inhalation: Burns of the mucous membranes, coughing and dyspnoea.
Serious eye damage/irritation: No data available.
Respiratory or skin sensitization: No data available.
Germ cell mutagenicity: No data available.
Carcinogenicity: No data available.
Reproductive toxicity: No data available.
STOT-single exposure: No data available.
STOT-repeated exposure: No data available.
Aspiration hazard: No data available.



Section 12: Ecological Information

Toxicity: Harmful to aquatic life with long lasting effects.

Selenious acid, CAS 7783-00-8

Short-term toxicity to fish: LC50 (4 days) 2.06 - 5.19 mg/L

Long-term toxicity to fish:

NOEC (3 months) 21 - 47.2 µg/L

NOEC (28 days) 83 µg/L

LOEC (3 months) 47.2 - 99.5 µg/L

LOEC (28 days) 153 µg/L

Persistence and degradability: No data available.

Bioaccumulative potential: No data available.

Mobility in soil: No data available.

Results of PBT& vPvB assessment: No data available.

Section 13: Disposal Considerations

Waste treatment methods: Examine possibilities for re-utilisation. Product residues and uncleaned empty containers should be packaged, sealed, labelled, and disposed of or recycled according to relevant national and local regulations.

Product/packaging disposal: Dispose of as unused product.

Section 14: Transport Information

Land transport (ADR/RID)

UN number: 1830

Proper shipping name and description: SULPHURIC ACID with more than 51% acid

Class: 8

Packaging group: II

Labels: 8

Marine transport (IMDG)

UN number: 1830

Proper shipping name and description: SULPHURIC ACID with more than 51% acid

Class: 8

Packaging group: II

Labels: 8

Air transport ICAO/IATA

UN number: 1830

Proper shipping name and description: SULPHURIC ACID with more than 51% acid

Class: 8

Packaging group: II

Labels: 8



Section 15: Regulatory Information

EU regulations:

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended
Not listed.

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended
Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry
Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA
Not listed.

Authorisations:

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended
Not listed.

Restrictions on use:

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use
Not regulated.

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work
Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding.
Not regulated.

Other EU regulations:

Directive 2012/18/EU on major accident hazards involving dangerous substances
Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.
Always applicable.

Directive 94/33/EC on the protection of young people at work
Sulphuric acid, CAS 7664-93-9
Selenious acid, CAS 7783-00-8



Other regulations: The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations: Follow national regulation for work with chemical agents.

Chemical safety assessment: No Chemical Safety Assessment has been carried out.

Section 16: Other Information

Indication of changes: GHS aligned.

Relevant classification and H statements (number and full text):

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Training instructions: Use as instructed.

Further information: This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Notice to readers: Employers should use this information only as a supplement to other information gathered by them and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees.

This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.