



Product Family

Miller DuraHoist 3Pod System.

A single 3Pod solution adjusted to various confined space work situations which is easy to transport and rapid to install.

This system is adapted to any manholes from 1m, 1m50 to 2m50.



Product Numbers & Ordering Information

	Product Numbers	Details
	1034430	DuraHoist 3Pod Miller Durahoist 3pod for confined space, equipped with 4 anchorage points and 2 pulleys. Certified EN 795/B 2012 (CN/TS 16415) for 2 persons.
	1005149-A	Mightylite Evac 15M Galva Mightylite Evac 15 m galvanized cable.
	1014390-A	Mightylite Evac 15M SS Mightylite Evac 15 m stainless steel cable.
	1034431	Mightylite 15 M Bracket for Durahoist 3Pod Bracket for mightylite 15 M on DuraHoist 3Pod.
	1034611	Miller DuraHoist Winch SS 15 M Miller DuraHoist Winch 15 M SS to lower and lift equipments, tools and other types of material. Conforms to the Material Handling Directive machine 2006/42/CEE when used with the 3Pod.
	1034612	Miller DuraHoist Winch SS 30 M Miller DuraHoist Winch 30 M SS to lower and lift equipments, tools and other types of material. Conforms to the Material Handling Directive machine 2006/42/CEE when used with the 3Pod.



1034613

Winch Bracket for DuraHoist 3Pod

Universal winch bracket for DuraHoist winch 15 m and 30 m.

Additional Information

Possibility to have spare parts for maintenance.

Ref 1034432 : set of 3 leg plugs Miller DuraHoist 3pod

Ref 1034433 : set of 3 Leg detent pins Miller DuraHoist 3pod

Ref 1034434 : foot webbing Miller DuraHoist 3pod

Ref 1034435 : set of 3 foot sole Miller DuraHoist 3pod

Packaging Information

DuraHoist 3Pod ref 1034430 packaging with handles : 151,5 x 34,5 x 32 cm

DuraHoist Winch ref 1034611 or 1034612 packaging : 360 x 220 x 270 mm

Overview

Key Features

- Easy & safe to install in less than 2 minutes (all legs open simultaneously, 1 knob fixing all legs together)
- Tested for 2 persons (up to 140 kg each) equipped with 4 anchorage points located on its head as well as 2 pulley fixed on the legs.
- Easy to carry & move (leg profile ergonomic for hand grip : only 1,45 m length). When closed, the legs are fixed and the tripod can be easily transported by gripping just one leg.
- Easy & Quick connection brackets for rapid installation of accessories on outside tripod leg :
 - * Rescuing device to stop the fall and rescue the person
 - * Winch for lifting loads (maximal weight load limit 300kg)
- Graving identification marking + QR code

Recommended Industries/Use

- Municipal Services
- Utilities

Hazards

- Confined Space

Warranty Information

Our state of the art equipment provides the critical tool for worker protection, combining mobility with unsurpassed comfort.

At our ISO 9001 certified manufacturing facilities in Europe, we ensure that every Miller product is made in accordance with the standards and meets your exacting requirements.

Photos & Images

1005149-A-sur-jambe-main

<http://www.honeywellsafety.com/assets/0/324/936/940/184c69c9-956d-4d86-a223-5e27968dbb8c.jpg?n=9267>

1034430-jambe-main

<http://www.honeywellsafety.com/assets/0/324/936/940/ba6303ba-11fc-4251-b8a3-b6414dfb6b4a.jpg?n=2142>

1005149-A-sur-jambe-enlarge

<http://www.honeywellsafety.com/assets/0/324/936/940/7b2af75d-703b-4f9c-b765-7aa0b1e7c461.jpg?n=3834>

1034430-emb-main

<http://www.honeywellsafety.com/assets/0/324/936/940/e0d8f9c3-3fe5-462c-bd59-aacc8d3702be.jpg?n=4074>

1034430-ouvert-max-main

<http://www.honeywellsafety.com/assets/0/324/936/940/fdcdf870-7c7c-4fcb-8c4d-53e8dba6b42b.jpg?n=4826>

1034430-pied-enlarge

<http://www.honeywellsafety.com/assets/0/324/936/940/721bc71b-bbe5-4ea4-a3b1-ad1395d6acc3.jpg?n=8684>

1034430-tete-enlarge

<http://www.honeywellsafety.com/assets/0/324/936/940/32097663-fb37-4180-b334-a079610a90ce.jpg?n=103>

1034430-vue-sur-poulie-et-syst-main

<http://www.honeywellsafety.com/assets/0/324/936/940/0174af04-fc12-4116-9d99-9c8f1cc33774.jpg?n=9536>

1034431_1034750_MILLER-_DuraHoist3Pod_Mightylite-bracket--main

<http://www.honeywellsafety.com/assets/0/324/936/940/131f4a8b-bfa0-4bc0-b197-eb3b2c78ff21.jpg?n=1001>

1034611 sur tripod-main

<http://www.honeywellsafety.com/assets/0/324/936/940/c9a48729-349e-414e-89f4-66a7b6d3aacf.jpg?n=7630>

1034611-enlarge

<http://www.honeywellsafety.com/assets/0/324/936/940/afb2b850-c973-4b36-ada6-7ec91462db8f.jpg?n=8251>

1034611-main

<http://www.honeywellsafety.com/assets/0/324/936/940/8eea4163-2255-47e8-838b-1cd2e2b2dcae.jpg?n=5663>

1034612 sur jambe-main

<http://www.honeywellsafety.com/assets/0/324/936/940/60be1eb7-a4fb-494e-b966-938e05f14c60.jpg?n=384>

1034613_MILLER-_DuraHoist3Pod_Winch-bracket--main

<http://www.honeywellsafety.com/assets/0/324/936/940/710e4767-83d8-4eb3-a339-fe4755ec7ab0.jpg?n=789>

Certifications

 certificate for ref 1034430

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Fall_Protection/Confined_Space/4294998176/1033.aspx

 Certificate Mightevac with 3pod Tripod

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Fall_Protection/Confined_Space/4294998177/1033.aspx

 Certificate of the DuraHoist winch with 3 Pod

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Fall_Protection/Confined_Space/4294998178/1033.aspx

Literature & Documents

1005149-A TDS EN (EUR)

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Confined_Space/4294998132/1033.aspx

HONEYWELL FALL PROTECTION FRANCE SAS 35-37 rue de la Bidauderie F -18100 Vierzon -France Tel : +33 2 48 52 40 40 Fax : +33 2 48 71 04 97 Web site : www.honeywellsafety.com Technical Specifications MightEvac rescue/retrieval hoist Description: Easy installation of device by simple fixation bracket positioning on outside

1034430 TDS EN (EUR)

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Confined_Space/4294998134/1033.aspx

HONEYWELL FALL PROTECTION FRANCE SAS 35-37 rue de la Bidauderie F -18100 Vierzon -France Tel : +33 2 48 52 40 40 Fax : +33 2 48 71 04 97 Web site : www.honeywellsafety.com Technical data sheet DURAHOIST 3POD Tripod ref 1034430 Description : A single 3Pod solution adjusted to various confined space work situations which

1034611-12-13 TDS EN (EUR)

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Confined_Space/4294998136/1033.aspx

HONEYWELL FALL PROTECTION FRANCE SAS 35-37 rue de la Bidauderie F -18100 Vierzon -France Tel : +33 2 48 52 40 40 Fax : +33 2 48 71 04 97 Web site : www.honeywellsafety.com Technical data sheet Miller DuraHoist winch SS
Description : The DuraHoist winch can be used to lower and lift equipment, tools and other types of m

3Pod Durahoist System Brochure

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Confined_Space/4294998128/1033.aspx

Honeywell Miller new Durahoist 3Pod for confined spaces12 WINCH Lifting load disposal. Machine Directive 2006/42/CEE
2 3 3 SELF RETRACTING LIFELINE WITH RETRIEVAL WINCH Compliant to EN 360:2002 and EN 1496:2006 4 SAFETY
HARNESS Compliant to EN 361:2002 What's a fall arrest system for confined spaces? DuraHoist 3Pod: A

Training & Proper Use

Training is an essential part of any safety program. The employer is responsible for ensuring that any person working at height is fully informed regarding the correct use of PPE and systems.

More information about the training...

Technical Support

Miller Techniserv

Northern and Central Europe

Phone: +49 (0) 9281/8302-205

Email: techniservnorth.hsp@honeywell.com

Southern Europe, UK, Ireland

Phone: +33 (0)2 48 52 40 42

Email: techniserv.hsp@honeywell.com



