

**PRODUCT NUMBER: 692****StoneGrip 692**

StoneGrip® 692 is a high-performance, cold resistant glove with excellent wearing comfort, resistant to abrasion and highly flexible. The thick cotton terry-loop fabric offers exquisite cold insulation, and the special roughened latex palm coating offers a sure grip even on wet parts. StoneGrip® provides a perfect fit, and is tested for resistance to cold down to -50°C according to the EN 511 safety standard. The eye-catching neon yellow color provides high visibility for added safety in the workplace. The glove is washable for a longer durability.

**Overview****Reference Number**

692

**Product Type**

Gloves

**Range**

Thermal Protection

**Line**

Cold Protection

**Brand**

KCL by Honeywell

**Brand formerly known as**

KCL

**Industry**

- Administration
- Building and Construction
- Green Spaces
- Services
- Transportation

**Product Use**

- transportation and logistics
- outdoor assembly work
- for winter use by local, district, regional and national services
- erection of scaffolding
- preparation of ski-slopes
- police and security firms

**Features & Benefits****Feature**

shrink-roughened surface offers protection against sharp materials good temperature flexibility excellent grip good cut resistance on the palm eye-catching signal colour uncoated back of the hand provides breathability

**Benefit**

short-term cold protection down to - 50 °C good heat insulation very good temperature flexibility moisture-repellent very good grip and mechanical resistance

## Technical Description

### Description

Acrylic knitted seamless liner. Terry loop. Knitted cuff. Crinkled latex palm coated.

### Product Technology

Knitted dipped

### Gauge

7

### Glove/liner color

Neon yellow/black

### Coating Type

Natural latex

### Length

260-280

### Thickness

3,5

### Harmlessness

In conformity with European standards

### Sizes

8, 9, 10, 11

## EN 388 - Mechanical Hazards Abrasion Resistance

|                                 |   |
|---------------------------------|---|
| Abrasion resistance             | 2 |
| Cutting resistance (Coupe test) | 1 |
| Tear resistance                 | 4 |
| Puncture resistance             | 1 |

## EN 511- Protection in cold temperatures:

|                               |   |
|-------------------------------|---|
| Resistance to conductive cold | X |
| Resistance to contact cold    | 2 |
| Water permeability            | X |

## Certifications

### EC Category PPE

2

### EC Certificate Number

IFA 0801105

### EC Attestation

EC Attestation

### EC Attestation Number

IFA 0801105

## Literature & Documents

O0KPVC690\_pdf

[http://www.honeywellsafety.com/supplementary/documents\\_and\\_downloads/gloves/4294994795/1033.aspx](http://www.honeywellsafety.com/supplementary/documents_and_downloads/gloves/4294994795/1033.aspx)

692 Konf GB

<http://www.honeywellsafety.com/privateassets/0/310/311/383/971/1fddcd00-b4a2-410f->

bd7f-18c820ab277e.jpg

## Additional Information

### User Manual

Product user instruction

## Maintenance

### Storage Information

On the user instruction

### Care Instructions

On the user instruction

© Honeywell International Inc.