

**PRODUCT NUMBER: 2132251**  
**Vertigo Black PU C&G 1**

Handling of fine products in a dry, slightly greasy or soiled environment.

**Honeywell****Overview****Reference Number**

2132251

**Product Type**

Gloves

**Range**

General purpose

**Line**

Precision work

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Industry
- Automotive and Part Manufacturer
- Aviation
- Logistics
- Maintenance
- Transportation

**Product Use**

Handling of fine products in a dry, slightly greasy or soiled environment.

**Features & Benefits****Feature**

100% black polyamide knitted glove  
Black polyurethane coating on palm and fingertips

**Benefit**

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.  
The glove offers maximum comfort and added sturdiness.  
The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.  
The ventilated back and PU coating optimise the glove's breathability.

**RESISTANCE**

The polyamide and its polyurethane coating provide a good abrasion and tear resistance.  
The PU coating ensures a good grip.

**SAFETY**

Non pilling, the polyester fiber is suitable for precision work. The gloves are certified as "silicone-free" to ensure their use in painting.

**HYGIENE**

Its dark colour makes it more soilproof, thus ensuring a longer life.

## Technical Description

**Description**

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 Basic standard

EN 388-2003 Mechanical risks

**CHARACTERISTICS :**

100% black polyamide knitted glove

Black polyurethane coating on palm and fingertips

**Product Technology**

Knitted Coated

**Gauge**

13

**Glove/liner color**

Black

**Coating Type**

Polyamide and polyurethane

**Length**

25 cm

**Harmlessness**

In conformity with the European standards.

**Dexterity**

Class 5

**Sizes**

7 to 10

## EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance	1
Tear resistance	3
Puncture resistance	1

## Packaging Label

**Tagging**

CE HONEYWELL

2132251 XX

EN 420

EN 388 : 4131

## Certifications

### E.C. Declaration of Conformity

### EC Category PPE

2

**Quality Assurance**

ISO 9001 / 2000

**EC Certificate Number**

0075/797/162/11/06/0281

**EC Attestation**

 EC Attestation

**EC Attestation Number**

0075/797/162/11/06/0281

## Additional Information

**User Manual**

UI 102

**User Information Sheet**

102

## Maintenance

**Storage Information**

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

**Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.

© Honeywell International Inc.

We're sorry, but we were unable to attach the following document:

EC Attestation

We are looking for a replacement document.  
Please try again later.



## E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: Vertigo Black PU C&G 1

Reference: 2132251

Standard(s): EN 388, EN 420

**This PPE is the object of the below EC examination certificate n°:**

0075/797/162/11/06/0281

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Drawn up in Lyon, on the 09/12/2016

**By:** Fabrice beaugeard

**Division:** Gloves

  
HONEYWELL SAFETY PRODUCTS EUROPE  
Immeuble Edison - ZI Paris Nord II -33 rue des Vanesses  
BP 55268 Villepinte - 95958 ROISSY CDG CEDEX  
SAS au capital 17 80 000 Euros - N° RCS 93 982 307 00187  
Tel: +33 1 49 90 79 79 Fax: +33 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)